

■ JIS B2401계열(P,G,V)오링

●P 계열오링						●G 계열오링			●G 계열오링		
부품번호	규격		부품번호	규격		부품번호	규격		부품번호	규격	
	내경	두께		내경	두께		내경	두께		내경	두께
P3	2.8	1.9	P71	70.6	5.7	G25	24.4	3.1	G325	324.3	5.7
P4	3.8	1.9	P75	74.6	5.7	G30	29.4	3.1	G330	329.3	5.7
P5	4.8	1.9	P80	79.6	5.7	G35	34.4	3.1	G335	334.3	5.7
P6	5.8	1.9	P85	84.6	5.7	G40	39.4	3.1	G340	339.3	5.7
P7	6.8	1.9	P90	89.6	5.7	G45	44.4	3.1	G345	344.3	5.7
P8	7.8	1.9	P95	94.6	5.7	G50	49.4	3.1	G350	349.3	5.7
P9	8.8	1.9	P100	99.6	5.7	G55	54.4	3.1	G355	354.3	5.7
P10	9.8	1.9	P102	101.6	5.7	G60	59.4	3.1	G360	359.3	5.7
P10A	9.8	2.4	P105	104.6	5.7	G65	64.4	3.1	G365	364.3	5.7
P11	10.8	2.4	P110	109.6	5.7	G70	69.4	3.1	G370	369.3	5.7
P11.2	11	2.4	P112	111.6	5.7	G75	74.4	3.1	G375	374.3	5.7
P12	11.8	2.4	P115	114.6	5.7	G80	79.4	3.1	G380	379.3	5.7
P12.5	12.3	2.4	P120	119.6	5.7	G85	84.4	3.1	G385	384.3	5.7
P14	13.8	2.4	P125	124.6	5.7	G90	89.4	3.1	G390	389.3	5.7
P15	14.8	2.4	P130	129.6	5.7	G95	94.4	3.1	G395	394.3	5.7
P16	15.8	2.4	P132	131.6	5.7	G100	99.4	3.1	G400	399.3	5.7
P18	17.8	2.4	P135	134.6	5.7	G105	104.4	3.1			
P20	19.8	2.4	P140	139.6	5.7	G110	109.4	3.1	●V 계열오링		
P21	20.8	2.4	P145	144.6	5.7	G115	114.4	3.1	부품번호	규격	
P22	21.8	2.4	P150	149.6	5.7	G120	119.4	3.1		내경	두께
P22A	21.7	3.5	P150A	149.5	8.4	G125	124.4	3.1	V15	14.5	4
P22.4	22.1	3.5	P155	154.5	8.4	G130	129.4	3.1	V24	23.5	4
P24	23.7	3.5	P160	159.5	8.4	G135	134.4	3.1	V34	33.5	4
P25	24.7	3.5	P165	164.5	8.4	G140	139.4	3.1	V40	39.5	4
P25.5	25.2	3.5	P170	169.5	8.4	G145	144.4	3.1	V55	54.5	4
P26	25.7	3.5	P175	174.5	8.4	G150	149.3	5.7	V70	69	4
P28	27.7	3.5	P180	179.5	8.4	G155	154.3	5.7	V85	84	4
P29	28.7	3.5	P185	184.5	8.4	G160	159.3	5.7	V100	99	4
P29.5	29.2	3.5	P190	189.5	8.4	G165	164.3	5.7	V120	119	4